

**RECOMMENDED INSTALLATION HEIGHT
FOR EACH VAN MODEL**



KEEP YOUR VAN SAFE.



WARNINGS

Always read the mounting instructions carefully.

The measures given on the following pages are **recommended** but not binding.

Daken S.p.A. reserves the right to make any change or variation to the products.

Each mounting must be **assessed** by the **installer** on a case-by-case basis and in consideration of the vehicle characteristics.

INDEX

CITROËN

Nemo (2007-2013)	4
Berlingo (> 2018)	5
Jumpy (> 2017)	6
Jumper (> 2014)	7

DACIA

Dokker (2013-2021)	8
--------------------	---

FIAT

Fiorino (> 2007)	9
Doblò (> 2009)	10
Talento (2016-2020)	11
Scudo (> 2021)	12
Ducato (> 2014)	13

FORD

Courier (2013 - 2024)	14
Courier (> 2024)	15
Connect (> 2014)	16
Custom (> 2012)	17
Transit (> 2014)	18

HYUNDAI

H350 (> 2016)	19
---------------	----

IVECO

Daily (> 2014)	20
----------------	----

MAN

TGE 3140 (> 2017)	21
-------------------	----

MAXUS

Edeliver 3 (> 2018)	22
Edeliver 9 (> 2019)	23

MERCEDES

Citan (<= 2021)	24
Citan (> 2021)	25
Vito (> 2014)	26
Sprinter (> 2018)	27

NISSAN

E-nv 200 (2014-2021)	28
Nv 250 (2019-2021)	29
Townstar Van (> 2021)	30
Primastar / nv-300 (>2016)	31
Interstar (2022)	32

OPEL

Combo (> 2018)	33
Vivaro B (2014-2019)	34
Vivaro C (> 2019)	35
Movano (> 2022)	36

PEUGEOT

Bipper (2007-2016)	37
Partner (> 2018)	38
Expert (> 2016)	39
Boxer (> 2014)	40

RENAULT

Kangoo (2008-2021)	41
Kangoo Van (>2021)	42
Express Van (> 2020)	43
Trafic (> 2014)	44
Master (> 2019)	45

TOYOTA

Proace City (> 2020)	46
Proace (> 2016)	47

VOLKSWAGEN

Caddy (2021 - 2024)	48
Caddy (> 2024)	49
Transporter (> 2014)	50
ID-Buzz (> 2022)	51
Crafter (> 2016)	52

RAM

Promaster (>2014)	53
-------------------	----

GMC

Savana (>1996)	54
----------------	----

CHEVROLET


Express Van (>1996)	55
---------------------	----



CITROËN NEMO
2007-2013



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm
31.5 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm
7.87 in



CITROËN BERLINGO > 2018



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm
31.5 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


25 cm
9.84 in



**CITROËN JUMPY
> 2017**



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm
37.4 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


30 cm
11.81 in



CITROËN JUMPER > 2014



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm
44.09 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm
7.87 in



DACIA DOKKER
2013-2021



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm
29.53 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

15 cm
5.91 in





**FIAT FIORINO
> 2007**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm
31.5 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm
7.87 in





**FIAT DOBLÒ
> 2009**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm
35.43 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm
7.87 in





FIAT TALENTO
2016 - 2020



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

84 cm
33.07 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm
11.81 in





**FIAT SCUDO
> 2021**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm
37.4 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

30 cm
11.81 in





**FIAT DUCATO
> 2014**



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm
44.09 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template



20 cm
7.87 in

FORD COURIER 2013 - 2024



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm
37.04 in

! Place the drill template as shown in the picture.


Distance from the door track to the central axis of the drill template

15 cm
5.91 in

FORD COURIER > 2024



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

85 cm
33.47 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.


Distance from the door track to the central axis of the drill template

20 cm
7.87 in

FORD CONNECT > 2014



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

85 cm
33.47 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.


Distance from the door track to the central axis of the drill template

27 cm
10.63 in

FORD CUSTOM > 2012



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

100 cm
39.37 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.


Distance from the door track to the central axis of the drill template

30 cm
11.81 in

FORD TRANSIT > 2014



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm
43.31 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


30 cm
11.81 in



HYUNDAI H350
> 2016



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

101 cm
39.76 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

25 cm
9.84 in



IVECO DAILY
> 2015

IVECO



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm
31.5 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm
7.87 in



**MAN TGE
> 2017**



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

140 cm
55.12 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm
8.87 in



**MAXUS EDELIVER 3
> 2018**



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

83 cm
32.68 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


27 cm
10.63 in



**MAXUS EDELIVER 9
> 2019**



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm
43.31 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

18 cm
7.09 in




Mercedes-Benz

MERCEDES CITAN
≤ 2021



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm
29.53 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

24 cm
9.45 in

For the "Short" version of the van we recommend using additional fixing plates. Reference **89530017**.




Mercedes-Benz

MERCEDES CITAN
> 2021



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm
29.53 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

24 cm
9.45 in




Mercedes-Benz

**MERCEDES VITO
> 2014**



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm
35.43 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

35 cm
13.78 in




Mercedes-Benz

**MERCEDES SPRINTER
> 2018**



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm
43.31 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm
7.87 in



NISSAN E-NV 200
2014 - 2021



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

93 cm
36.61 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


49 cm
19.29 in



NISSAN NV 250
2019 - 2021



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

72 cm
28.35 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

22,5 cm
8.86 in

For the "Short" version of the van we recommend using additional fixing plates. Reference **89530017**.





NISSAN TOWNSTAR VAN
> 2021



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm
29.53 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


24 cm
9.45 in



NISSAN PRIMASTAR
> 2022



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

84 cm
33.07 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


30 cm
11.81 in



NISSAN INTERSTAR
> 2022



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm
43.31 in


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm
7.87 in



OPEL COMBO
> 2018



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm
31.5 in


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


25 cm
9.84 in



OPEL VIVARO B
2014 - 2019



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm
37.4 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


30 cm
11.81 in



OPEL VIVARO C
> 2019



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm
37.4 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


30 cm
11.81 in



OPEL MOVANO
> 2022



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm
44.09 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm
7.87 in



PEUGEOT BIPPER
2007 - 2016



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm
31.5 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm
7.87 in



PEUGEOT PARTNER > 2018



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm
31.5 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


25 cm
9.84 in



**PEUGEOT EXPERT
> 2016**



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm
37.4 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


30 cm
11.81 in



PEUGEOT BOXER > 2014



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

112 cm
44.09 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

20 cm
7.87 in




RENAULT KANGOO
2008 - 2021



INSTALLATION ON THE REAR DOOR


INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

72 cm
28.35 in



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

22,5 cm
8.86 in


For the **"Short"** version of the van we recommend using additional fixing plates. Reference **89530017**.



RENAULT KANGOO VAN > 2021



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

75 cm
29.53 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


24 cm
9.45 in



RENAULT EXPRESS VAN > 2020



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm
31.5 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm
7.87 in



RENAULT TRAFIC > 2014



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

84 cm
33.07 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


30 cm
11.81 in



RENAULT MASTER > 2019



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

110 cm
43.31 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm
7.87 in



TOYOTA PROACE CITY
> 2020



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

80 cm
31.5 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


25 cm
9.84 in



TOYOTA PROACE
> 2016



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm
37.4 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


30 cm
11.81 in



VOLKSWAGEN CADDY 2021 - 2024



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

70 cm
27.56 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


10 cm
3.94 in



VOLKSWAGEN CADDY > 2024



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

85 cm
33.47 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm
7.87 in



VOLKSWAGEN TRANSPORTER > 2014



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

95 cm
37.4 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


40 cm
15.75 in



VOLKSWAGEN ID-BUZZ
> 2022



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

90 cm
35.43 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm
8.87 in



VOLKSWAGEN CRAFTER > 2016



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

140 cm
55.12 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


20 cm
7.87 in



**RAM PROMASTER
> 2014**



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

66 cm
26 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template



15 cm
6 in

GMC SAVANA
> 1996



INSTALLATION ON THE REAR DOOR

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

26,6 cm
10.5 in

! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template


39,3 cm
15.5 in



CHEVROLET EXPRESS VAN > 1996



INSTALLATION ON THE REAR DOOR




! Place the drill template as shown in the picture.

Distance from the bumper to the central axis of the drill template

26,6 cm
10.5 in

INSTALLATION ON THE LATERAL DOOR



! Place the drill template as shown in the picture.

Distance from the door track to the central axis of the drill template

39,3 cm
15.5 in